

PERMANENT PAVEMENT MARKING TAPE
[Retroreflective Preformed Pavement Markings(RPPM)]

Type 1, RPPM Film for Moderate Traffic

No Listings

Type 2, RPPM Pliant Polymer Film for High Traffic

ATM-300	Advanced Traffic Markings Div. of Patch Rubber Co. P.O. Box H Roanake Rapids, N.C. 27870 (919)536-2574
Director 60	SWARCO P.O. Box 89 Columbia, Tennessee 38420-0089
Series 1000	Brite-Line Industries, Inc. 10660 E. 51st Avenue Denver, Colorado 80239
Stamark 5730(White) 5731(Yellow)	3M Company Traffic Control Materials Division

Type 3, RPPM Pliant Polymer Tape for Extremely High Traffic

Stamark 380I (White) 381I (Yellow)	3M Company Traffic Control Materials Division 3M Center St. Paul, Minnesota 55144-1000 (612)733-1110
---------------------------------------	--

Type 4, RPPM Pliant Polymer Tape(Removable)

ATM-200	Advanced Traffic Markings Div. of Patch Rubber Co. P.O. Box H Roanoke Rapids, N.C. 27870 (919)536-2574
AZTEC 102 AZTEC 390	P.B. Laminations, Inc. 2940 Mary Ave. P.O. Box 19893 Brentwood, Missouri 63144 (314)968-2569
Director 2	SWARCO P.O. Box 89 Columbia, Tennessee 38420-0089
Series 100	Brite-Line Industries, Inc. 10660 E. 51st Avenue Denver, Colorado 80239
Stamark Series 780 (Wet Reflective Removable Tape) 780(White) 781(Yellow)	3M Company Traffic Control Materials Division 3M Center St. Paul, Minnesota 55144-1000 (612)733-1110

Type 5, RPPM Film for High Traffic, Stop/Start & Turning Movements

ATM-400

Advanced Traffic Markings
Div. of Patch Rubber Co.
P.O. Box H
Roanake Rapids, N.C. 27870
(919)536-2574

Director 35

SWARCO
P.O. Box 89
Columbia, Tennessee 38420-0089

Method of Documentation of Acceptance: By brand and manufacturer.

The following procedure must be followed in acquiring approval of materials to be added to the above Qualified Products List:

1. Preformed Pavement Marking Tape must be evaluated by the National Transportation Product Evaluation Program (NTPEP) as a Retroreflective Preformed Pavement Markings (RPPM). Preformed Pavement Marking Tape final results must be furnished to the Department upon completion of NTPEP evaluation. At the end of the NTPEP testing, the performance of the Preformed Pavement Marking Tape will be evaluated and final approval will be based on its NTPEP performance. All reports shall include the manufacturer's name, address, and product name of the Preformed Pavement Marking Tape.
2. The manufacturer shall submit samples and product information, including printed instructions for application.
3. If the Preformed Pavement Marking Tape meets the performance criteria, a letter and unsigned certification agreement will be sent to the manufacturer. The product will be placed on the QPL upon receipt of the signed certification agreement.
4. Destination samples will be taken as deemed necessary by the Materials Engineer to assure compliance with specifications.

5. Failure of these samples either in the laboratory or in field applications is sufficient reason to reconsider acceptance of the material. Suspension of further use and/or removal from the QPL may occur until the Materials Engineer determines that the product is in compliance with applicable specifications and requirements.