

**Class 1 Protective Surface Treatment for Concrete
(Boiled Linseed Oil)**

Manufacturer	SUPPLIER
Archer Daniels Midland (ADM)	Darragh Company 1401 E. 6 th Street Little Rock, AR 72202
Archer Daniels Midland (ADM)	CMC Construction Services (formerly Lofland Company) 5900 Wadley Road Sherwood, AR 72120
Archer Daniels Midland (ADM)	Williams Equipment & Supply, Inc. 4706 East Highland Drive Jonesboro, AR 72401

METHOD OF DOCUMENTATION OF ACCEPTANCE: Manufacturer and Supplier.

1. The boiled linseed oil shall be delivered to the project undiluted in containers; the containers will be identified by Supplier, Manufacturer, and Manufacturer's lot number. The Supplier will maintain a copy of the manufacturer's certification on each lot that includes the following information:

- Manufacturer's name and address
- Product name
- Date of manufacture
- Lot identification
- Laboratory test results indicating compliance with ASTM D 260.

Certifications for all lots in stock at the Supplier's facilities will be available for review by the Department.

The following procedure is to be used in acquiring approval of a Class 1 Protective Surface Treatment For Concrete for inclusion on the Qualified Products List:

1. The supplier will provide the Materials Division of the Arkansas State Highway and Transportation Department with a copy of a test report covering the material to be supplied along with a pint sample.

2. An approval will be predicated upon the test report showing conformance to ASTM D 260.
3. If all of the above criteria are met, a letter and unsigned certification agreement will be sent to the supplier. The product will be placed on the QPL upon receipt of the signed agreement.
4. Destination samples will also be taken as deemed necessary to assure compliance with specifications. Failure of these samples may be considered sufficient cause to reject the material and suspend further use and /or removal from the QPL until tests by the Department determine that the product is in compliance with applicable specifications and requirements.
5. The Supplier will maintain a copy of test reports covering all production lots for a period of three years and make available to the Department upon request.